JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
55(4), 1982, pp. 801–808

INDEX TO VOLUME 55

abdominal spines on the pupae of the bagworm, 605
A brachypterous species of *Alathetus* from Haiti (Hemiptera: Pentatomidae), L. H. Rolston, 156
Abstracts of papers presented to the Society's annual meeting of 24 April 1982 at Manhattan, Kansas, 460, 476, 562, 597
Abundance and life cycles of Lepidoptera associated with an outbreak of the western spruce budworm *Choristoneura occidentalis* (Lepidoptera: Tortricidae) in southeastern Idaho, George P. Markin, 372
A comparison of two parasitoids, *Bracon hebetor* (Hymenoptera: Braconidae) and *Venturia canescens* (Hymenoptera: Ichneumonidae), and a predator *Xylocoris flavipes* (Hemiptera: Anthocoridae) in suppressing residual populations of the almond moth, *Ephestia cautella* (Lepidoptera: Pyralidae), J. W. Press, L. D. Cline, and B. R. Flaherty, 725
Acrididae, 477
Activity of CGA-28772 against stored-product insects, Karl J. Kramer and Leon H. Hendricks, 302
adult survivorship in *Melipona*, 789
A generalized phenological forecast model for European corn borer, G. C. Brown, 625
Agrotis ipsilon, 621; *orthogonia*, 339
Alathetus haitiensis, 156
Alexander, Charles P., In Memoriam 1889–1981, 409
alfalfa aphid, 57
alkali bee, 277
almond moth, 725
almond orchard pollination, 101
A method for preparing soft bodied larval Diptera for scanning electron microscopy, Michael J. Grodowitz, John Krchma, and A. B. Broce, 751
A nest and pollen-collection records of *Osmia sculleni* Sandhouse, a bee with hooked hairs on the mouthparts (Hymenoptera: Megachilidae), F. D. Parker and V. J. Tepedino, 329
An investigation of behavioral variability within colonies of the eastern tent caterpillar *Malacosoma americanum* (Lepidoptera: Lasiocampidae), Janice S. Edgerly and T. D. Fitzgerald, 145
Anthocoridae, 65, 725
Anthophoridae, 499
Aphididae, 57, 283, 754
Apidae, 8, 789
Apioceridae, 177
Apoidea, 95, 349, 406
apple orchards, 136
A review of the genera of western hemisphere Ozophorini with two new genera from Central America (Hemiptera-Heteroptera: Lygaeidae), Peter D. Ashlock and James A. Slater, 737
A revision of the genus *Pyrota*. I. The Mylabrina group (Coleoptera: Meloidae), Richard B. Selander, 665
army ants of Mexico, 197
Ashlock, Peter D., and James A. Slater, A review of the genera of western hemisphere Ozophorini with two new genera from Central America (Hemiptera-Heteroptera: Lygaeidae), 737
ash voiding mechanisms of aquatic insects, 290
aspen beetle (American), 779

Baldr:ga, 640; *nielsoni*, 640; *qalida* 641
Balsbaugh, Edward U., Jr., *Colaspis chapalensis* Blake (Coleoptera: Chrysomelidae), a new pest of corn in Mexico, 577
Bembix pruinosa, 52
Biology of predispersal seed predators of the Platte thistle, *Cirsium canescens*, W. O. Lamp and M. K. McCarty, 305
Biology of the American aspen beetle (Coleoptera: Chrysomelidae: *Gonioctena americana* (Schaeffer)) in the Medicine Bow National Forest, Wyoming, Mark L. Mason and Fred A. Lawson, 779
bionomics of Meloidae, 668
Bitzer, Royce J., see Shaw, 581
black cutworm, overwintering biology, 621
blackjacket, 373
Blattella germanica, 86
Blattellidae, 86
Blinn, Dean W., Chris Pinney, and Milton W. Sanderson, Nocturnal planktonic behavior of *Ranata montezuma* Polhemus (Nepidae: Hemiptera) in Montezuma Well, Arizona, 481
Blinn, R. L., and T. R. Yonke, New records of plant bugs (Hemiptera: Miridae) from

Missouri with notes on their host-plant associations (abstract), 597
Blocker, H. Derrick, New species of Iassinae from the neotropics (Homoptera: Cicadellidae), 639
Bloem, K. A., and K. V. Yeargan, Effects of extreme temperatures on *Patasson lameerei* survival and oviposition, 37
Bohart, R. M., New species of *Strictiella* (Hymenoptera, Sphecidae), 593
Bohart, Richard M., *Leucodynerus*, a new genus of solitary wasps from western North America (Hymenoptera: Sphecidae), 442
Bolivian Cicadellidae, 323
Book Review, Jack C. Hall, A review of the North and Central American species of *Paravilla*. Review by Charles D. Michener, 728
Book Review by Martha (Rosett) Lutz. Daly, Howell V., John T. Doyen, and Paul R. Erlich, "Introduction to Insect Biology and Diversity." 1978. McGraw-Hill, 564 pages, 170
books for review, 488
Bouseman, John K., *Coelioxys bisoncornua* Hill in Illinois: a sunflower-associated cleptoparasitic bee new to the eastern United States (Hymenoptera: Apoidea), 406
Bouseman, John K., Note on the rediscovery of *Xeromelecta interrupta* (Cresson) in Illinois (Hymenoptera: Apoidea), 349
Bracon hebeter, 725
Braconidae, 725
Brindley, T. A., see Robinson, 297
brood production, 789, in *Melipona*
Brower, Lincoln P., see Cohen, 343
Brown, G. C., A generalized phenological forecast model for European corn borer, 625
Bruchidae, 718
Brueelia superciliosa is a synonym of *Alcedoffida alcedinis*, 334
Bugbee, Robert E., Six new species of *Eurytoma* and a parasite-host list of species described since 1967, 159
Byers, George W., In Memoriam Charles P. Alexander 1889–1981, 409

Cabbage aphid, 283
Camponotus pennsylvanicus, 568
Camargo, Conceição Aparecida de, 8
cardenolide, 343
CGA-28772, a progeny repressant for several stored-product insects, 302
Chalcididae, 159
Charlet, Laurence D., and Christian Y. Oseto, Spatial pattern of *Smicronyx fulvus* (Coleoptera: Curculionidae) in cultivated sunflower, based on damage assessment, 351
chinchbug susceptibility to selected insecticides, 317
Choristoneura occidentalis, 372
Chrysomelidae, 577, 651, 779
Cicadellidae, 73, 323, 423, 447, 461, 489, 532, 639, 658
Cline, L. D., see Press, 725
Clumping pattern during overwintering in the paper wasp, *Polistes exclamans*: effects of relatedness, Jerry Lynn Allen, Kate Schulze-Kellman, and George J. Gamboa, 97
Coccinellidae, 187, 474
Coelioxys bisoncornua Hill in Illinois: a sunflower-associated cleptoparasitic bee new to the eastern United States (Hymenoptera: Apoidea), John K. Bouseman, 406
Cohen, James A., and Lincoln P. Brower, Oviposition and larval success of wild monarch butterflies (Lepidoptera: Danaidae) in relation to host plant size and cardenolide concentration, 343
Colaspis chapalensis, a new corn pest in Mexico, 577
Colias philodice and *eurytheme*, 729
colony food storage in *Melipona*, 789
Comanopa, 647; *hamiltoni*, 647
Comparison of three insecticide-impregnated cattle eartags for face fly and horn fly control (Diptera: Muscidae), Ralph E. Williams and Eric J. Westby, 335
conspecifics, role in nest site selection of solitary wasps, 52
Coptocycla rubella, 651
Corilidia lenta, 424
Corythuca distincta, 34
Curculionidae, 351, 519
Curtis, C. E., see Landholt, 248
Cwikla, Paul S., see Freytag, 658

Danaidae, 343
Davis, James R., and Reed L. Kirkland, Physiological and environmental factors related to the dispersal flight of the convergent lady beetle, *Hippodamia convergens* (Guerin-Meneville), 187
DeLong, Dwight M., and Donald R. Foster, New species of Bolivian *Polana* Gyponinae (Homoptera: Cicadellidae), 323
Delphacidae, 532
DePew, L. J., Chemical control of greenbugs in winter wheat under cool temperatures in Kansas (abstract), 562
DePew, Lester J., The efficacy of several insecticides for pale western cutworm control and their effects on yield of winter wheat, 339
DeSteven, Diane, Observations on the life history of *Pseudanthonomus hamamelidis* Pierce (Coleoptera: Curculionidae), 519

Development of *Sitophilus zeamais* and *Tribolium castaneum* in whole, cracked, and ground pearl millet, Robert L. Meagher, Jr., Carl Reed, and Robert B. Mills, 91
Diadasia afflicta, nesting biology of, 499
Dimboa bioassays, 357
Dinkins, R. Leon, 460
diploid males of a social bee, 8
Diversity and abundance of aphid species associated with soybean mosaic virus in Iowa, R. B. Hammond and L. P. Pedigo, 754
Dominica, 658
Donleva, 643; ***paronyma***, 643
Dorr, L. J., see Neff, J. L., 499

Edgerty, Janice S., and T. D. Fitzgerald, An investigation of behavioral variability within colonies of the eastern tent caterpillar *Malacosoma americanum* (Lepidoptera: Lasiocampidae), 145
Effects of extreme temperatures on *Patasson lameerei* survival and oviposition, K. A. Bloem and K. V. Yeargan, 37
Efficiency of bees in pollinating onion flowers, Frank D. Parker, 171
Ephemeroptera, new species and previously undescribed larvae, 23
Ephestia cautella, 725
Epicauta spp., 427
Erepsocassis Spaeth, 1936: a valid genus (Coleoptera: Chrysomelidae: Cassidinae), Edward G. Riley, 651
European corn borer, 625
European corn borer (Lepidoptera: Pyralidae) leaf feeding resistance: Dimboa bioassays, J. F. Robinson, J. A. Klun, W. D. Guthrie, and T. A. Brindley, 357
Eurytoma: compressa, 159; ***palustris***, 160; ***scabriterga***, 161; ***antistrophi***, 162; ***cuneiforma***, 164; ***strigosa***, 164; ***orbicaulis***, 165
Evans, Howard E., Nesting and territorial behavior of *Philanthus barbatus* Smith (Hymenoptera: Sphecidae), 571

Field experiments with *Osmia lignaria propinqua* Cresson as a pollinator in almond orchards: III, 1977 studies (Hymenoptera: Megachilidae), P. F. Torchio, 101
Field experiments with the pollinator species, *Osmia lignaria propinqua* Cresson, in apple orchards: I, 1975 studies (Hymenoptera: Megachilidae), P. F. Torchio, 136
Field experiments with the pollinator species, *Osmia lignaria propinqua* Cresson, in apple orchards: II, 1976 studies (Hymenoptera: Megachilidae), P. F. Torchio, 759
Figg, D. E., R. D. Hall, and R. G. Thomas, Bucoprophilous pasture flies and associated insect parasites in central Missouri (abstract), 476
Fitzgerald, T. D., see Edgerly, 145
Flaherty, B. R., see Press, 725
Flightless beetles and stingless bees: phoresy of scotocriptine beetles (Leiodidae) on their meliponine hosts (Apidae), David W. Roubik and Quentin D. Wheeler, 125
Formicidae, 197, 277, 485, 568
Foster, Donald R., see DeLong, 323
Fowler, H. G., and R. B. Roberts, Entourage pheromone in carpenter ant (*Camponotus pennsylvanicus*) (Hymenoptera: Formicidae) Queens, 568
Freytag, Paul H., and Paul S. Cwikla, New species and records of Cyponinae from Dominica (Homoptera: Cicadellidae), 658
Friesea ***hoffmanorum***, 46; *sublimis*, 50
Fulgoridae, 532

Gamboa, George J., see Allen, 97
Garllica, 645; ***margina***, 645
Gerdes, Charles F., Distribution of adult overwintering Thysanoptera in an Illinois prairie, 418
Gersich, F. M., and M. A. Brusven, Volcanic ash accumulation and ash-voiding mechanisms of aquatic insects, 290
Gold, Roger E., see Ballard, 86
Gonioctena americana, 779
Greenberg, Les, Persistent habituation to female odor by male sweat bees, *Lasioglossum zephyrum* (Hymenoptera: Halictidae), 525
Greenberg, Les, Year-round culturing and productivity of a sweat bee, *Lasioglossum zephyrum* (Hymenoptera: Halictidae), 13
Greenbugs, chemical control, 562
Grodowitz, Michael J., John Krchma, and A. B. Broce, A method for preparing soft bodied larval Diptera for scanning electron microscopy, 751
Grunchia, 643; ***pilusa***, 643
Guthrie, W. D., see Robinson, 297
Gypona (*Obtusana*) *nigromarginata*, 663
Gyponana, 548; *aculeata*, 554; ***attenuens***, 554; *brevita*, 554; *cana*, 556; *expanda*, 556; *flavilineata*, 556; *geminata*, 557; *h. hasta*, 557; *hasta* ***sonora***, 552; *octolineata*, 559; *offula*, 559; *ortha*, 559; *salsa*, 560; *striata*, 560; ***toxotes***, 560; *tubera*, 561

Habitat and behavior of selected *Apiocera* and *Rhaphiomidas* (Diptera, Apioceridae), and descriptions of immature stages of *A. his-*

pida, Catherine A. Toft and Lynn Siri Kimsey, 177
habituation to female odor by male sweat bees, 525
Haematobia irritans, 335
Hagen, Arthur F., Variations in the wing band of *Trimerotropis sparsa* (Thomas) (Orthoptera: Acrididae: Oedipodinae), 477
Halictidae, 13, 277, 525
Hall, R. D., G. D. Thomas, and C. E. Morgan, Stable fly, *Stomoxys calcitrans* (L.), breeding in large round hay bales: initial associations (Diptera: Muscidae), 617
Hall, R. D., see Figg, R. D., 476
Hamilton, K. G. A., Review of the nearctic species of the nominate subgenus of *Gyponana* Ball (Rhyncota: Homoptera: Cicadellidae), 547
Hammond, R. B., and L. P. Pedigo, Diversity and abundance of aphid species associated with soybean mosaic virus in Iowa, 754
haploid males of a social bee, 8
Hendricks, Leon H., see Kramer, 302
Hippodamia convergens, 187
Holzenthal, Ralph W., The caddisfly genus *Setodes* in North America (Trichoptera: Leptoceridae), 253
hooked hairs on mouthparts of a bee, 329
Horber, Ernst, Book review—Herbivores: their interaction with secondary plant metabolites, edited by Gerald A. Rosenthal and Daniel H. Janzen, 1979. Academic Press, 718 pp., 408

Ichneumonidae, 725
Ignoffo, C. M., see McIntosh, 354
insect cell lines, medium for growth, 354
Interspecific sexual attraction between *Pyralis farinalis* L., and *Amyelois transitella* (Walker) (Lepidoptera: Pyralidae), P. J. Landolt and C. E. Curtis, 248
Isonychia sieca, 31

Jarvis, James L., Susceptibility of some Brassicaceae oilseed plant introductions to the cabbage aphid (Homoptera: Aphididae), 283
Johnson, Clarence Dan, Survival of *Stator generalis* (Coleoptera: Bruchidae) in host seeds from outside its geographical range, 718

Kimsey, Lynn Siri, see Toft, 177
Kirchner, Ralph F., see Kondratieff, 1
Klun, J. A., see Robinson, 297
Kondratieff, Boris, and Ralph F. Kirchner, *Taeniopteryx* ***nelsoni***, a new species of winter stonefly from Virginia (Plecoptera: Taeniopterygidae), 1
Kramer, Karl J., and Leon H. Henricks, Activity of CGA-28772 against stored-product insects, 302

Lamp, W. O., and M. K. McCarty, Biology of predispersal seed predators of the Platte thistle, *Cirsium canescens*, 305
Lamp, William O., and M. K. McCarty, Observations of *Corythucha distincta* (Hemiptera: Tingidae) on Platte thistle in Nebraska, 34
Landolt, P. J., see Akre, 373
Lasiocampidae, 145
Lasioglossum zephyrum, culturing and productivity, 13, 525
leaf feeding resistance in ECB, 297
Leptoceridae, 253
Leucodynerus, 442; *cockerelli*, 444; *congressus*, 444; *martini*, 445; *russatus*, 445; *samiatus*, 445; *tetratobus* 446
Longevity of diploid males, haploid males, and workers of the social bee *Melipona quadrifasciata* Lep. (Hymenoptera: Apidae), Conceição Aparecida de Camargo, 8
Loye, Jennella E., The bionomics of *Telamona monticola* (Homoptera: Membracidae), 598
Lutz, Martha (Rosett), book review, 170
Lygaeidae, 317, 737

Malabrina group (Meloidae), 665
Malacosoma americanum, 145
Male courtship persistence in *Colias philodice* and *C. eurytheme* (Lepidoptera: Pieridae), Larry Marshall, 729
Manglitz, George R., see DeVries, 57
Markin, George P., Abundance and life cycles of Lepidoptera associated with an outbreak of the western spruce budworm *Choristoneura occidentalis* (Lepidoptera: Tortricidae) in southeastern Idaho, 372
Marshall, Larry, Male courtship persistence in *Colias philodice* and *C. eurytheme* (Lepidoptera: Pieridae), 729
Mason, Mark L., and Fred A. Lawson, Biology of the American aspen beetle (Coleoptera: Chrysomelidae: *Gonioctena americana* (Schaeffer)) in the Medicine Bow National Forest, Wyoming, 779
McCafferty, W. P., see Provonsha, 23
McCarty, M. K., see Lamp, 34, 305
McIntosh, A. H., and C. M. Ignoffo, Notes on a low-cost medium for growth of insect cell lines and replication of insect viruses, 354

Medicine Bow National Forest, 779
Megachilidae, 101, 136, 329, 759
Melipona, 789; *quadrifasciata,* 8
Meloidae, 427, 665
Membracidae, 598
Michener, Charles D., Book Review, 728
Mills, Robert B., see Meagher, 91
Miridae, 597
model for forecast of ECB, 625
Momoria, 649; ***catopa,*** 649
Morgan, C. E., see Hall, 617
Mueller, Michael F., and R. Leon Dinkins, A two year study on the incidence of the hickory shuckworm, *Cydia caryana* (Fitch), and the pecan nut casebearer, *Acrobasis nuxvorella* Neunzig, in southeast Kansas (abstract), 460
Musca autumnalis, 335
Muscidae, 77, 335, 617

Nabidae, 65
Nabis americoferus 65; *roseipennis,* 66
Nannuridae, 46
Neal, John W., Jr., Significance of opposing abdominal spines on the pupae of the bagworm *Thyridopteryx ephemeraeformis* (Lepidoptera: Psychidae), 605
Neff, J. L., B. B. Simpson, and L. J. Dorr, The nesting biology of *Diadasia afflicta* Cress. (Hymenoptera: Anthophoridae), 499
Neoconcephalus niger, 581
neotropic Cicadellidae, 639
Nepidae, 481
Nesting biology and behavior of the blackjacket, *Vespula consobrina* (Hymenoptera: Vespidae), Roger D. Akre, Hal C. Reed, and P. J. Landolt, 373
New species and previously undescribed larvae of North American Ephemeroptera, A. V. Provonsha and W. P. McCafferty, 23
New species and records of Gyponinae from Dominica (Homoptera: Cicadellidae), Paul H. Freytag and Paul S. Cwikla, 658
New species of Bolivian *Polana,* Gyponinae (Homoptera: Cicadellidae), Dwight M. DeLong and Donald R. Foster, 323
New species of Iassinae from the neotropics (Homoptera: Cicadellidae), H. Derrick Blocker, 639
Nielson, M. W., A new genus *Corilidia* and a new species of the tribe Tinobregmini with a revised key to the genera (Homoptera: Cicadellidae, Coelidiinae), 423
Nielson, M. W., New species in the genus *Tharra* from the Oriental and Australian regions (Cicadellidae: Coelidinae, Tharrini), 447
Nielson, M. W., New leafhopper species of *Terulia* from Central America with a revised key to the species (Cicadellidae: Coelidiinae: Teruliini), 489
Nielson, M. W., Some additional new species of thagriine leafhoppers from Malaysia and Indonesia (Cicadellidae: Coelidiinae, Thagriini), 461
Noctuidae 339, 621
Nocturnal occurrences of leafhoppers (Homoptera: Cicadellidae) in soil, Peter H. Adler, 73
Nomia triangulifera, 95
North, Robert C., see Shaw, 581
Note on the rediscovery of *Xeromelecta interrupta* (Cresson) in Illinois (Hymenoptera: Apoidea), John K. Bouseman, 349
Notes on a low-cost medium for growth of insect cell lines and replication of insect viruses, A. H. McIntosh and C. M. Ignoffo, 354

oak leaf tiers, 650
Observations of *Corythucha distincta* (Hemiptera: Tingidae) on Platte thistle in Nebraska, William O. Lamp and M. K. McCarty, 34
Oecophoridae, 650
Oligoneuriidae, 33
On *Friesea* (Collembola: Neannuridae) from Mexico and description of a new species in the genus, Jose G. Palacios-Vargas, 46
Orius insidiosus, 65
Oseta, Christian Y., see Charlet, 351
Osmia lignaria propinqua, 101, 136, 759; *sculleni,* 329
Ostrinia nubilabis, 357, 625
Oviposition and larval success of wild monarch butterflies (Lepidoptera: Danaidae) in relation to host plant size and cardenolide concentration, James A. Cohen and Lincoln P. Brower, 343
Oviposition sites of *Orius insidiosus* (Say) and *Nabis* spp. in soybean (Hemiptera: Anthocoridae and Nabidae), David J. Isenhour and Kenneth V. Yeargan, 65
Ozophorini, 737

Pachyopsis, 639; ***nomanus,*** 639
Palacios-Vargas, José G., 46
pale western cutworm, 339
Pamozophora, 744; *englemani,* 745
Parker, Frank D., Efficiency of bees in pollinating onion flowers, 171
Parker, F. D., and V. J. Tepedino, A nest and pollen-collection records of *Osmia sculleni* Sandhouse, a bee with hooked hairs on the

mouthparts (Hymenoptera: Megachilidae), 329
Parrish, Mark D., and Radcliffe B. Roberts, Successful establishment of the German yellowjacket in urban New Jersey, indicated by relative abundance of *Vespula germanica* and *V. maculifrons* (Hymenoptera: Vespidae), 272
Patasson leemerei, survival and oviposition, 34
pavement ant, *Tetramorium caespitum,* 277
Pedigo, L. P., see Hammond, 754
Peltoperlidae, 494
Penestrangia (*Abdistrangia*), 648; ***hetera,*** 648
Penestrangia (*Penestrangia*), 647; ***incila,*** 647
Pentatomidae, 156
Peters, Leroy L., Susceptibility of chinch bugs to selected insecticides—laboratory study (Hemiptera: Lygaeidae), 317
pheasant chicks, response to adult lady beetles, 474
Philanthus barbatus, 571
phoresy of scotocryptine beetles, 125
Physiological and environmental factors related to the dispersal flight of the convergent lady beetle, *Hippodamia convergens* (Guerin-Meneville), James R. Davis and Reed L. Kirkland, 187
Pieridae, 729
Pinney, Chris, see Blinn, 481
Platte thistle, 305
Polana (*Bulbusana*), 658; *inclinata,* 658; ***papillata,*** 659; ***insulana,*** 662
*Polana: **portochuela,*** 323; ***annata,*** 324; ***pravida,*** 324; ***bitubera,*** 325; ***tuberana,*** 326; ***orcula,*** 326
Polistes exclamans, 97
predation, 427
Press, J. W., L. D. Cline, and B. R. Flaherty, A comparison of two parasitoids, *Bracon hebetor* (Hymenoptera: Braconidae) and *Venturia canescens* (Hymenoptera: Ichneumonidae), and a predator *Xylocoris flavipes* (Hemiptera: Anthocoridae) in suppressing residual populations of the Almond Moth, *Ephestia cautella* (Lepidoptera: Pyralidae), 725
Prokelisia, 532; *marginatus,* 537; ***dolus,*** 539; *salina,* 540; *crocea,* 542; ***carolae,*** 544
Provonsha, A. V., New species of Ephemeroptera, 23
Pruess, K. P., 474
Pseudanthonomus hamamelidis, life history of, 519
Pseudocioeon cestum, 28
Pseudomenus, 747; ***veovatus,*** 747
Psilocorsis spp., 650
Psychidae, 605
Pteromalidae, 77
Pupedis, Raymond J., see Rodrigues, 117
Pyralidae, 248, 357, 625, 725
Pyrota: concinna, 673; *palpalis,* 681; *deceptiva,* 685; *mylabrina,* 690; *perversa,* 693; *punctata,* 699; *fasciata,* 702; *terrestris,* 702; *insulata,* 703; *engelmanni,* 710; *sinuata,* 714

Ranatra montezuma, 481
Recent collections of *Nomia triangulifera* Vachal on sunflowers in Illinois (Hymenoptera: Apoidea), John K. Bouseman, 95
Reed, Carl, see Meagher, 91
Reed, Hal C., see Akre, 373
replication of insect viruses, 354
Reproduction of *Spalangia cameroni* Perkins (Hymenoptera: Pteromalidae) on stable fly (Diptera: Muscidae) in the laboratory, R. D. Moon, I. L. Berry, and J. J. Petersen, 77
Rhaphiomidas, 177
Riley, Edward G., *Erepsocassis* Spaeth, 1936: A valid genus (Coleoptera: Chrysomelidae: Cassidinae), 651
Roberts, R. B., see Fowler, 568
Roberts, Radclyffe B., see Parrish, 272
Robinson, J. F., J. A. Klun, W. D. Guthrie, and T. A. Brindley, European corn borer leaf feeding resistance: a simplified technique for determining relative differences in concentrations of 6-methoxybenzoxazolinone (Lepidoptera: Pyralidae), 297
Robinson, J. F., J. A. Klun, W. D. Guthrie, and T. A. Brindley, European corn borer (Lepidoptera: Pyralidae) leaf feeding resistance: Dimboa bioassays, 357
Rodrigues, P. Duarte, Raymond J. Pupedis, and Carl W. Schaefer, Taxonomic differences in some sensory structures of the Tingidae (Hemiptera: Heteroptera), 117
Rolston, L. H., A brachypterous species of *Alathetus* from Haiti (Hemiptera: Pentatomidae), 156
Ross, Kenneth G., Atypical yellowjacket nests in the laboratory (Hymenoptera: Vespidae), 563
Roubik, David W., Seasonality in colony food storage, brood production and adult survivorship: studies of *Melipona* in tropical forest (Hymenoptera: Apidae), 789
Rubink, W. L., Spatial patterns in a nesting aggregation of solitary wasps: evidence for the role of conspecifics in nest-site selection, 52

Sanderson, Milton W., see Blinn, 481
scanning electron microscopy, 751

Schaefer, Carl N., see Rodrigues, 117
Schultz, George W., Soil-dropping behavior of the pavement ant *Tetramorium caespitum* (L.) (Hymenoptera: Formicidae) against the alkali bee (Hymenoptera: Halictidae), 277
Schulze-Kellman, Kate, see Allen, 97
Seasonality in colony food storage, brood production and adult survivorship: studies of *Melipona* in tropical forest (Hymenoptera: Apidae), David Roubik, 789
seed predators of Platte thistle, 305
Selander, Richard B., Further studies of predation of meloid eggs by meloid larvae (Coleoptera), 427
Selander, Richard B., A revision of the genus *Pyrota*. I. The Mylabrina group (Coleoptera: Meloidae), 665
sensory structures of Tingidae, 117
Setodes, a genus of caddisflies, 253; ***arenatus***, 257; ***dixiensis***, 260; other species, 262–270, Ralph W. Holzenthal, 253
Sexual attraction, interspecific, between separate species of Pyralidae, 248
Shaw, Kenneth C., Royce J. Bitzer, and Robert C. North, Spacing and movement of *Neoconcephalus ensiger* males (Concephalinae: Tettigoniidae), 581
Simpson, B. B., see Neff, J. L., 499
Siphlonuridae, 33
Siphlonurus ***minnoi***, 23; *typicus*, 26
Sitophilus zeamais, 91
6-methoxybenzoxazolinone, 297
Six new species of *Eurytoma* and a parasite-host list of species described since 1967, Robert E. Bugbee, 159
Slater, James A., see Ashlock, 737
Smicronyx fulvus, 351
Soil-dropping behavior of the pavement ant, *Tetramorium caespitum* (L.) (Hymenoptera: Formicidae) against the alkali bee (Hymenoptera: Halictidae), George W. Schultz, 277
Soil visitation by leafhoppers, 73
Solenopsis, 485; ***nickersoni***, 486
solitary wasps: nesting aggregations, 52
Soybean, 65
Soybean mosaic virus, 754
Spalangia cameroni, 77
Spatial pattern of *Smicronyx fulvus* (Coleoptera: Curculionidae) in cultivated sunflower, based on damage assessment, Laurence D. Charlet and Christian Y. Oseto, 351
Spatial patterns in a nesting aggregation of solitary wasps: evidence for the role of conspecifics in nest-site selection, W. L. Rubink, 52
species of Mylabrina group of Meloidae, 672
Sphecidae, 442, 571, 593
sponsors and patrons, 592
Spotted alfalfa aphid (*Therioaphis maculata* (Brockton)) (Homoptera: Aphididae): water stress, amino acid content, and plant resistance, Nancy E. Lorenz DeVris and George R. Manglitz, 57
spruce bud worm, 372
stable fly, breeding in hay bales, 617
Stark, Bill P., and Kenneth W. Stewart, The nymph of *Viehoperla ada* (Plecoptera: Peltoperlidae), 494
Stator generalis, 718
Stewart, Kenneth W., see Stark, 494
Stomoxys calcitrans, 617
Story, Richard N., and Armon J. Keaster, The overwintering biology of the black cutworm, *Agrotis ipsilon*, in field cages (Lepidoptera: Noctuidae), 621
Strictiella, 593; ***fairchildi***, 503; ***gillaspyi***, 594; ***villegasi***, 596
Successful establishment of the German yellowjacket in urban New Jersey indicated by relative abundance of *Vespula germanica* and *V. maculifrons* (Hymenoptera: Vespidae), Mark D. Parrish and Radclyffe B. Roberts, 272
sunflower, 351
Survival of *Stator generalis* (Coleoptera: Bruchidae) in host seeds from outside its geographical range, Clarence Dan Johnson, 718
Susceptibility of chinch bugs to selected insecticides—laboratory study (Hemiptera: Lygaeidae), Leroy L. Peters, 317
Susceptibility of some Brassicaceae oilseed plant introductions to the cabbage aphid (Homoptera: Aphididae), James L. Jarvis, 283

Taeniopterygidae, 1
Taeniopteryx ***nelsoni***, a new species of winter stonefly from Virginia (Plecoptera: Taeniopterygidae), Boris Kondratieff and Ralph F. Kirchner, 1
Taxonomic differences in some sensory structures of the Tingidae (Hemiptera: Heteroptera), P. Duarte Rodrigues, Raymond J. Pupedis, and Carl W. Schaefer, 117
Telamona montieola, bionomics of, 598
temperature, effects on survival and oviposition of *Patasson lameerei*, 37
tent caterpillar, eastern, 145
Tepedino, V. J., see Parker, 329
Terulia, 489; ***woldai***, 490; ***triangularis***, 491
Tettigoniidae, 581
The army ants of Mexico (Hymenoptera: For-

micidae: Ecitoninae), Julian F. Watkins II, 197
The caddisfly genus *Setodes* in North America (Trichoptera: Leptoceridae), Ralph W. Holzenthal, 253
The effect of selected baits on the efficacy of a sticky trap in the evaluation of German cockroach populations, James B. Ballard and Roger E. Gold, 86
The efficacy of several insecticides for pale western cutworm control and their effects on yield of winter wheat, Lester J. DePew, 339
Therioaphis maculata: water stress, amino acid content, and plant resistance, 57
Thagria, 461; ***fossiata,*** 461; ***bidentata,*** 463; ***mutabilis,*** 465; ***bifurcata,*** 466; ***bardata,*** 468; ***retrorsa,*** 470; ***hollowayi,*** 471
Thara, 474; ***lanceolata,*** 447; ***ciliata,*** 449; ***angusta,*** 450; ***hammeri,*** 452; ***epidentata,*** 453; ***hamata,*** 455; ***sarawakensis,*** 456; ***trispinata,*** 458
thistle, Platte, 34
Thomas, G. D., see Hall, 617
Thomas, R. G., see Figg, R. D., 476
Thompson, C. R., A new *Solenopsis* (Diplorhoptrum) species from Florida (Hym.: Formicidae), 485
Thrydopteryx ephemeraeformis, 605
Thysanoptera, 418
Tingidae, 34, 117
Tinobregmini, genera of, 423
Torchio, P. F., Field experiments with *Osmia lignaria propinqua* Cresson as a pollinator in almond orchards: III, 1977 studies (Hymenoptera: Megachilidae), 101
Torchio, P. F., Field experiments with the pollinator species, *Osmia lignaria propinqua* Cresson, in apple orchards: II, 1976 studies (Hymenoptera: Megachilidae), 759
Tortricidae, 372
Tribolium castaneum, 91
Trimerotropis spara, 477

Venturia canescens, 725
Vespidae, 97, 272, 373, 563
Vespula consobrina, 373
Viehoperla ada, 494
Volcanic ash accumulation and ash-voiding mechanisms of aquatic insects, F. M. Gersich and M. H. Brusven, 290

Watkins, Julian F., The army ants of Mexico, 197
Westby, Eric J., see Williams, 335
western spruce budworm, 372
Wheeler, Quentin D., see Roubik, 125
Whitmore, R. W., and K. P. Pruess, Response of pheasant chicks to adult lady beetles (Coleoptera: Coccinellidae), 474
Williams, N. Sandra, Status of *Brueelia superciliosa* (Mallophaga: Philopteridae), 334
Williams, Ralph E., and Eric J. Westby, Comparison of three insectide-impregnated cattle ear tags for face fly and horn fly control, 335
Wilson, Stephen W., The planthopper genus *Prokelisia* in the United States (Homoptera: Fulgoridae: Delphacidae), 532
wing band variations in Acrididae, 477

Xeromelecta interrupta, 349
Xylocoris flavipes, 725

Yeargan, Kenneth V., see Isenhour, 65
yellowjacket nests in the laboratory, 563
Yonke, T. R., see Blinn, 597